



**City of Yarra**  
PO Box 168  
RICHMOND 3121  
DX 30205 **ABN** 98 394 086 520  
**Telephone** (03) 9205 5555 **Email** [info@yarracity.vic.gov.au](mailto:info@yarracity.vic.gov.au)  
**Facsimile** (03) 8417 6666 **Web** [www.yarracity.vic.gov.au](http://www.yarracity.vic.gov.au)

# Info Sheet

Telephone 9205 5356 enquires – [info@yarracity.vic.gov.au](mailto:info@yarracity.vic.gov.au) [www.yarracity.vic.gov.au](http://www.yarracity.vic.gov.au)

## SOLID FUEL BURNING APPLIANCES (WOOD HEATER)

### Application


This sheet has been produced to assist those proposing to install a solid fuel burning appliance within a building.

### Process

- The installation of a solid fuel burning appliance is specifically exempted from the need to obtain a building permit.
- Check with Council's Planning Office to determine if a planning permit is required for the installation of the solid fuel burning appliance including the external flue.

### Compliance

- Domestic solid fuel burning appliances are to be installed in accordance with Australian Standard AS/NZS 2918.
- A licensed plumber must install the solid fuel burning appliance including the external flue. Once installed the plumber is to provide a Compliance Certificate for the works which carries insurance to protect the consumer against defective work of the plumbing practitioner.
- The flue exit shall be located outside the building, please refer to Figure 4.9 overleaf for the minimum flue height.



DIMENSIONS IN MILLIMETRES

FIGURE 4.9 MINIMUM HEIGHT OF FLUE SYSTEM EXIT

## Further Information

1. For further information in relation to the items covered within this Information Sheet please contact Yarra Building Services on telephone 9205 5356; or
2. Refer to AS/NZS 2918.