



GENERAL NOTES

- 1. DO NOT INCLUDE TREE ROOT PRUNING IN PRICES, HOWEVER CONTRACTOR IS TO CO-ORDINATE THIS ACTIVITY WITH COUNCIL'S ARBORIST.
- 2. TREE SQUARE DIMENSIONS ARE TYPICAL AND MAY BE ALTERED TO MEET SPECIFIC ON GROUND REQUIREMENTS AS DIRECTED BY COUNCIL'S SUPERVISOR. IF THIS OCCURS CONTRACT PRICE WILL BE ADJUSTED ACCORDINGLY.
- 3. ALL DIMENSIONS IN MILLIMETERS.
- 4. TREES TO BE SUPPLIED BY OTHERS.

5. TREE SQUARE TO BE FILLED WITH A MINIMUM OF 50mm THICK (ON FOOTPATH) AND 100mm THICK (ON THE ROAD RESERVE) OF GRANITIC SAND MIXED WITH SOIL BOND AO1 BINDERS (SOIL BOND AUST PH: 0427442377) OR EQUIVALENT. THE MIXING RATIO IS 25 LITRES OF SOILBOND DILUTED WITH 25 LITRES OF WATER FOR EACH CUBIC METRE OF GRANITIC SAND AND MIX UNIFORMLY IN A CONCRETE MIXER.
NOTE - FOR TREES WITH A TRUNK DIAMETER OF LESS THAN 150mm, TREE SQUARES TO BE FILLED WITH VEGETATIVE MULCH.

6. TREE SQUARE TO BE FILLED WITH A MINIMUM OF 50mm THICK (ON FOOTPATH) AND 100mm THICK (ON THE ROAD RESERVE) OF 5 Mpa NO FINE CONCRETE CONSISTS OF SIZE 14 & 20 STONES WITH 14% CEMENT BY MASS OF NO FINES STONE. THE COLOUR CONTENT SHOULD BE 4% BLACK (BY MASS OF NO FINES CONCRETE).
NOTE - NO 6 CAN ALSO BE APPLIED FOR TREE SQUARE IF APPROVED BY COUNCIL'S ENGINEER.

Yarra Standard: YSD709
Drawing Title:
 TREE SURROUNDS
 ROAD AND FOOTPATH TREATMENT

Scale: N.T.S

REV	DATE	DRAWN BY
A	25/11/09	HL
B	30/04/12	DKC
C	28/03/17	HL

